

# WHISKY STAR IX

Specification File



**OFFSHORE TUG/SUPPLY VESSEL**

**WHISKY STAR IX** is a state-of-the-art Offshore Tug/Supply vessel.

- 20 Pax Accommodation
- 272.6m<sup>2</sup> Deck Space
- 2.6T/m<sup>2</sup> Deck Strength
- 4000HP Tug
- 35T Bollard pull

#### CONTACT

E-mail address

[info@ejovigroup.com](mailto:info@ejovigroup.com)

[whiskystarix@ejovigroup.com](mailto:whiskystarix@ejovigroup.com)

## WHISKY STAR IX

### VESSEL MAIN PARTICULARS

Vessel Name	WHISKY STAR IX
Manager	Ejovi Offshore Limited
Vessel design	ALLIED SHIPPING
Vessel built	2009
Port of Registry	LAGOS
Flag	Nigeria
IMO Number	7721990
Call Sign	5NVY6

### PRINCIPAL DIMENSIONS

Length Overall	55.0m
Beam	12.2m
Depth	4.3m
Maximum Draft	3.7m
Light Draft	2.0m
Freeboard	0.6m
Displacement at Loadline	1,605.0T
Deadweight	885T
Clear Deck Space	29.0m X 9.4m
Minimum Height	14.6m
Gross Tonnage	918T
Net Tonnage	203T

### MACHINERY

Main Engines	2 X EMD 12-645CE2
Horsepower	4000
Gears	2 x Falk 0830 MR 3:1 Ratio
Propeller	2 X 4-Blade Stainless; 90 X 65in
Primary Generators Driven By	2 x 99Kw 440v 60Hz DD 8V-71
Bow Thruster Driven By Thrust (Max)	Bird Johnson 020 DD 8V-71 4st/3.4T

### ACCOMMODATION

<b>Total Certified to Carry</b>	<b>20 Persons</b>
Staterooms -	13 (Sleeping)
Galley Seating -	10
Air Conditioning/heating	Yes

## WHISKY STAR IX

### PERFORMANCE

#### Speed Vs Fuel Consumption

Maximum	13 Knots/137.0gph
Cruising	10 knots/79.0gph
Economical	8 knots/60.0gph

---

Range @ 10.0 Knots                      8820nm

---

Bollard Pull                                      35st/31.8T

---

#### Transfer Rates

Cargo Rates	500gpm @160ft	113.0T/h @49.0m
Fuel Oil	500gpm @160ft	97.0 T/h @49.0m
Bulk	17gpm @170ft	45.0T/h @52.0m
Drilling Fluid	900gpm @200ft	416.5T/h @61.0m

### CAPACITIES

---

Deck Cargo                                      508.0T

---

Cargo Water                                      272.0T

---

Fuel Oil    224.7T

---

Portable Water                                      49.6T

---

Lube Oil    6.7T

---

Bulk Tanks (6) Total                                      1,699.2m<sup>2</sup>

---

Drilling Fluid (17lbs/gal)                                      217.2m<sup>2</sup>

---

Walk-in Cooler                                      8.5m<sup>2</sup>

---

Walk-in Freezer                                      8.5m<sup>2</sup>

### ELECTRONICS

Rader(s)    1

---

Radio(s)    1 X VHF

---

1 X SSB

---

Magnetic Compass                                      1

---

Gyro Compass                                      1

---

Navigation Aid                                      1

---

Fathometer                                      1

---

Autopilot                                      1

---

LORAN                                      1

### VESSEL MOORING

Stern Roller                                      5ft x 8ft

### VESSEL MOORING

Windless                                      Yes

Anchors                                      2

Chain (Per side)                                      900ft of 1.25in

Capstans                                      HBL C20E

### SPECIAL EQUIPMENT

Fire Fighting                                      Yes

---

Welding Machine                                      300Amp